

# Approximating the Maximum k-Colorable Subgraph Problem on Dotted Interval Graphs

Lin, Alexander

MAXIMUM k-COLORABLE SUBGRAPH is a classic NP-Complete problem that inputs a simple graph  $G$  with  $n$  vertices and  $k$  colors; it asks for the largest subgraph in which every vertex is colored and no two vertices that share an edge have the same color. When  $k = 1$ , this problem becomes equivalent to the famous MAXIMUM INDEPENDENT SET Problem, which cannot even be approximated to a factor of  $n^{1-\epsilon}$  for any  $\epsilon > 0$  in polynomial-time. The dotted interval graph DIG<sub>D</sub>, first introduced as a generalization of the interval graph by Aumann et. al, represents the intersection of  $n$  arithmetic progressions with common differences at most  $D$ . We first prove that MAXIMUM k-COLORABLE SUBGRAPH is NP-Complete for  $D \geq 2$  on this class of graphs. We then present and analyze an approximation algorithm for this problem. Our algorithm generalizes a union-find procedure that was first established by Carlisle and Lloyd to solve the problem on the class of interval graphs (DIG<sub>1</sub>) in 1991. In our analysis of the algorithm, we provide mathematical proofs to show 1) the returned solutions will always be feasible, 2) the approximation ratio is  $1/D$ , and 3) the running time is bounded by  $O(n+k)$ . We also give a second algorithm that can convert any dotted interval graph into an equivalent simple graph with vertices and edges in  $O(n^2 \cdot \log D)$ -time. Finally, we present a possible application of this mathematical work to genotyping, in which we approximate the optimal experimentation schedule for the simultaneous multiplexing of microsatellites.