

# Thermal Transport Properties of 2-Dimensional Transition Metal Dichalcogenide Heterostructures

Li, Terrance (School: Newport Senior High School)

Manipulating heat is an ancient art that sparked human civilization and continues to attract significant interest from the scientific community. Materials with low thermal conductivities can be used to effectively control heat. Two-dimensional (2D) transition metal dichalcogenides (TMDs) such as WSe<sub>2</sub> are known to exhibit thermal conductivities as low as 0.05W/mK. In this work, I systematically investigated a series of 2D TMDs using large scale molecular dynamics simulations, confirming the experimentally reported thermal conductivity of WSe<sub>2</sub> and MoS<sub>2</sub>. Furthermore, I revealed that MoSe<sub>2</sub> exhibits an even lower thermal conductivity of 0.022W/mK, and I discovered that WSe<sub>2</sub>-MoSe<sub>2</sub> heterostructure has a groundbreaking thermal conductivity of 0.0096W/mK, lower than both of its constituents and, in fact, any known solids. Preliminary experimental testing has also been carried out to measure the thermal conductivities of 2D TMDs. If confirmed, the ultralow thermal conductivity of the WSe<sub>2</sub>-MoSe<sub>2</sub> heterostructure may find many applications in thermal management.

## Awards Won:

Third Award of \$1,000

Air Force Research Laboratory on behalf of the United States Air Force: First Award of \$750 in each Intel ISEF Category