

Invention of a Novel Detection Kit Based on Thiourea Doped Cellulose for Antibacterial Film's Validity

Chang, Hyunjun (School: Cheongshim International Academy)

Roberge, Adam (School: Cheongshim International Academy)

This study aims to create a cellulose-based ion sensor that can easily detect the validity of antibacterial films made of copper or silver ions that are used to prevent COVID-19. Thiourea 4.6% and Imidazole 3.1% were able to be doped on the surface of cellulose. But, due to the heat-induced effect during synthesis, the saturation of the dopant, and the steric effect of each dopant, it was impossible to dope thiourea and imidazole simultaneously. According to FT-IR, TGA, and EDX analysis, it was discovered that both dopants were linked to the base material by physical adsorption. Cellulose treated with thiourea was able to detect Ag⁺ ion and Cu⁺ ion, while the cellulose-imidazole complex was able to detect Cu²⁺ ion. By applying the 3.3(Sy/S) formula, the limit of detection (LOD) calculated for each sensor was $4.3 \times (10)^{-5}$ and $5.3 \times (10)^{-5}$ for Cu²⁺ ion and Ag⁺ ion, respectively. To detect both Ag⁺ and Cu⁺ ions with a single substance, hydrogen peroxide was treated in a Cu⁺ ion solution to oxidize the ion to Cu²⁺. When this was done, both Ag⁺ and Cu²⁺ ions were able to detect with only the usage of thiourea doped cellulose. As a result of applying this ion sensor to commonly utilized antibacterial films, several antibacterial films showed color change.