

A Novel Approach for the Preparation of High Efficiency Water Splitting Photocatalysts

Alkhaldi, Dana

The total solar energy absorbed by the Earth is 3.85×10^{24} J per year, which is approximately 104 times greater than the annual world energy consumption. Solar energy must be harvested to produce renewable energy capable of replacing environmentally harmful energy sources such as fossil fuels. This project aims to significantly increase the efficiency for overall water splitting because the current production of H₂ is too low to be applied at the industrial scale. This was achieved by initially testing the effect of four different noble-metal based cocatalysts deposited over SrTiO₃, which was used as an ideal UV light responsive photocatalyst. To ensure high crystallinity of the SrTiO₃, the photocatalyst underwent a flux-assisted heat treatment method. The photocatalyst was then impregnated with noble-metal cocatalyst nanoparticles (Pt, Rh, Pd, and Ir) through wet impregnation. A CrO_x layer was deposited around the nanoparticles to prevent O₂ and H₂ recombination. The activity for each metal/SrTiO₃ photocatalyst was then tested. Rh exhibited the highest yield, producing an average rate of 240 $\mu\text{mol h}^{-1}$ for H₂ and 120 $\mu\text{mol h}^{-1}$ for O₂ under high power Xenon lamp. This is 8 times more gas than the next best noble metal (Pt). Rh/SrTiO₃ photocatalyst sheets were then engineered and tested in dense buffer solution 6 times; successfully improving the photocatalytic activity. This research is a step forward towards the understanding of photocatalysis and therefore progressing to the objective of developing practical water splitting photocatalysts. This will offer a potential solution to the world's growing energy demands.

Awards Won:

Third Award of \$1,000

Qatar Foundation, Research & Development

Award of \$1,000